

RURAL MUNICIPALITY OF BROCK NO. 64

BYLAW NO. 2022-02

A BYLAW TO ESTABLISH DEPTHS FOR BURYING LINES, CABLES AND PIPELINES

The Council of the Rural Municipality of Brock No. 64, in the Province of Saskatchewan, enacts as follows:

TITLE

This bylaw shall be referred to as the "Buried Line Bylaw."

PURPOSE

The purpose of this bylaw is to establish the minimum depth that all cables, utility lines (Power, Gas and Telephone), water and sewer lines, and pipelines must be buried within the Rural Municipality of Brock No. 64.

PART I – DEFINITIONS

- 1. Utility Lines – Utility lines shall mean all underground power, gas and telephone cables, lines and wires;
- 2. "Cables" shall mean all other underground cables that do not qualify as utilities as described in Part I – Definitions, No. 1;
- 3. "Pipelines" shall mean all underground pipelines used for Oil and Gas Development;
- 4. "Water and Sewer Lines" shall mean all lines buried underground for the purpose of running water or sewage.

PART II – MINIMUM DEPTH

- 1. All cables, utility lines, water and sewer lines, and pipelines, installed in the Rural Municipality of Brock No. 64, must be buried a minimum of 2.45 metres (8 feet), from the surface.
- 2. The Rural Municipality of Brock No. 64 shall not be responsible for damages to any utility lines, cables, water and sewer lines, or pipelines that are not buried to the required depth of 2.45 metres (8 feet), from the surface.

PENALTY

Any person(s) in contravention of this bylaw will be subject to penalties as set out in Bylaw No. 2012-121, A Bylaw to Establish Penalties For Contravention of Bylaws.



Larry Gordon
Reeve – Larry Gordon

Shawna-Lee Bertram
Administrator – Shawna-Lee Bertram

1st Reading: *September 14, 2022*

2nd Reading: *October 12, 2022*

Read a third time and adopted this *12th* day of *October, 2022*

Shawna-Lee Bertram
Administrator

Certified a True Copy of the Original Bylaw No. 2022-01 passed by resolution of Council at their regular meeting held October 12, 2022.
Shawna-Lee Bertram
Administrator

